



NS 3102 LT 3~ Adaptive 420

Technische specificaties



Soort installatie: Semi permanent, Nat



Note: Picture might not correspond to the current configuration.

General

General
Dompelbare pompen voorzien van verstoppingsongevoeelige N-waai.
Geschikt voor afvalwater met grotere delen zoals rioolwater, regenwater
en industriële afvalwater. Materiaal gietijzer.

Impeller

Impeller material	Grey cast iron
Persaansluiting	150 mm
Diameter aanzuigzijde	150 mm
Impeller diameter	187 mm
Aantal bladen	2

Motor

Motor #	N3102.160 18-11-4AL-W 3.1KW
Stator variant	standaard
Frequentie	66
Nominale spanning	50 Hz
Aantal polen	190 V
Fasen	4
Nominaal vermogen	3~
Toegekende stroom	3,1 kW
Aanloopstroom	13 A
Nominaal toerental	71 A
Vermogensfactor	1440 rpm
1/1 Load	0,84
3/4 Load	0,79
1/2 Load	0,68
Motor efficiency	
1/1 Load	83,5 %
3/4 Load	85,0 %
1/2 Load	84,0 %

Project	Project ID	Created by	Created on	Last update
			10/5/2018	

NS 3102 LT 3~ Adaptive 420



Karakteristiek


Pomp

Persaansluiting	150 mm
Diameter aanzuigzijde	150 mm
Impeller diameter	187 mm
Aantal bladen	2

Motor


Motor #	N3102.160 18-11-4AL-W 3.1KW
Stator variant	66
Frequentie	50 Hz
Nominale spanning	190 V
Aantal polen	4
Fasen	3~
Nominaal vermogen	3,1 kW
Toegekende stroom	13 A
Aanloopstroom	71 A
Nominaal toerental	1440 rpm

Vermogensfactor	
1/1 Load	0,84
3/4 Load	0,79
1/2 Load	0,68
Motor efficiency	
1/1 Load	83,5 %
3/4 Load	85,0 %
1/2 Load	84,0 %



Project	Project ID	Created by	Created on 10/5/2018	Last update
---------	------------	------------	-------------------------	-------------


NS 3102 LT 3~ Adaptive 420 VFD Analysis



Project	Project ID	Created by	Created on 10/5/2018	Last update
---------	------------	------------	-------------------------	-------------

NS 3102 LT 3~ Adaptive 420

Dimensional drawing



Dimensional dwg
NS3102LT

Project	Project ID	Created by	Created on 10/5/2018	Last update
---------	------------	------------	-------------------------	-------------