



NS 3202 HT 3~ 454

Technische specificaties



Soort installatie: Semi permanent, Nat



Note: Picture might not correspond to the current configuration.

General

Dompelpbare pompen voorzien van verstoppingsongevoele N-waai. Geschikt voor afvalwater met grotere delen zoals rioolwater, regenwater en industriële afvalwater. Materiaal gietijzer.

Impeller

Impeller material	Grey cast iron
Persaansluiting	150 mm
Diameter aanzuigzijde	200 mm
Impeller diameter	344 mm
Aantal bladen	2

Motor

Motor #	N3202.180 30-29-4AA-W 45KW standaard
Stator variant	1
Frequentie	50 Hz
Nominale spanning	380 V
Aantal polen	4
Fasen	3~
Nominaal vermogen	45 kW
Toegekende stroom	82 A
Aanloopstroom	510 A
Nominaal toerental	1470 rpm
Vermogensfactor	
1/1 Load	0,91
3/4 Load	0,88
1/2 Load	0,82
Motor efficiency	
1/1 Load	91,5 %
3/4 Load	92,5 %
1/2 Load	92,5 %

Project	Project ID	Created by	Created on	Last update
			10/5/2018	

NS 3202 HT 3~ 454



Karakteristiek


Pomp

Persaansluiting 150 mm
Diameter aanzuigzijde 200 mm
Impeller diameter 344 mm
Aantal bladen 2

Motor


Motor # N3202.180 30-29-4AA-W 45KW
Stator variant 1
Frequentie 50 Hz
Nominale spanning 380 V
Aantal polen 4
Fasen 3~
Nominiaal vermogen 45 kW
Toegekende stroom 82 A
Aanloopstroom 510 A
Nominiaal toerental 1470 rpm

Vermogensfactor
1/1 Load 0,91
3/4 Load 0,88
1/2 Load 0,82
Motor efficiency
1/1 Load 91,5 %
3/4 Load 92,5 %
1/2 Load 92,5 %



Project	Project ID	Created by	Created on 10/5/2018	Last update
---------	------------	------------	-------------------------	-------------


NS 3202 HT 3~ 454
VFD Analysis



Project	Project ID	Created by	Created on 10/5/2018	Last update
---------	------------	------------	-------------------------	-------------

NS 3202 HT 3~ 454

Dimensional drawing



FS, NS 3202.090, 095, 180, 185, 350, 390 HT

Dimensional dwg

FSNS3202.090,095,180,185,350,390 HT

Project	Project ID	Created by	Created on 10/5/2018	Last update
---------	------------	------------	-------------------------	-------------