

NS 3301 LT 3~ 622



Karakteristiek


Pomp

Persaansluiting	300 mm
Diameter aanzuigzijde	300 mm
Impeller diameter	400 mm
Aantal bladen	2

Motor


Motor #	N3301.180 35-25-6AA-W 45KW
Stator variant	1
Frequentie	50 Hz
Nominale spanning	380 V
Aantal polen	6
Fasen	3~
Nominaal vermogen	45 kW
Toegekende stroom	93 A
Aanloopstroom	510 A
Nominaal toerental	985 rpm

Vermogensfactor	
1/1 Load	0,81
3/4 Load	0,77
1/2 Load	0,67
Motor efficiency	
1/1 Load	90,0 %
3/4 Load	91,0 %
1/2 Load	91,5 %



Project	Project ID	Created by	Created on	Last update
			10/5/2018	

NS 3301 LT 3~ 622
VFD Analysis



Project

Project ID


Created by

Created on
10/5/2018

Last update

NS 3301 LT 3~ 622

Dimensional drawing



6-poles

NS 3301.090, 095, 180, 185, 660, 670 LT

Denomination

Dimensional dwg

NS 3301.090, 095, 180, 185, 660, 670 LT

Project	Project ID	Created by	Created on	Last update
			10/5/2018	