




ABS PEDESTAL CATALOGUE.

DN 32 TO DN 800

POMP  IRECT



We know how water works

T +31 (0)294-457712 info@pompdirect.nl www.pompdirect.nl

DN 32 DN 50 DN 65 DN 3" DN 80 DN 100 DN 150 DN 200 DN 250 DN 300 DN 350 DN 400 DN 500 DN 600 DN 800





We know how water works




DN
32 (G1¼")

PIRANHA

Current products




Accessories



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM/BRA	All variants	1¼", internal thread	G1¼", internal thread, oval flange	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0179)	Cast iron	No	With adapter G1¼"/oval flange/with shackle
IEM/BRA	6 232 5007	1¼", internal thread	G1¼", internal thread	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0179)	Cast iron	No	With adapter G1¼"/oval flange
IEM/BRA	6 232 0674	1¼", internal thread	G1¼", oval flange	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0179)	Cast iron	No	
IEM/BRA	6 232 0676	1¼", internal thread	G1¼", oval flange	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0179)	Cast iron	No	With shackle
IEM	6 232 0536	1¼", internal thread	G1¼", oval flange	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0179)	Cast iron	No	
IEM	6 232 0538	1¼", internal thread	G1¼", oval flange	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0179)	Cast iron	No	With shackle



We know how water works




DN
50 (G2")

KV, KG


Current products

22 365 Pedestal base **1995**




350 121 (4 x ø9)
350 122 (G1½")
22 366 (2 x ø11)

Pedestal bracket 1992




Accessories

Transition piece 05 346





Transition piece 350 123



MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	22 365 base	G2"	G2"	1"	2	4 expansion-shell bolts M12 x 120		Cast iron	No	
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	350 0125 adapter/bracket	KV54, KV55, KV56	G2", internal thread	1"	2	ø 40 mm	□ 75 mm, 4 x ø 9 mm	Nodular cast iron	No	Bracket 350 121, including transition piece 05 346
PXM	350 126 adapter/bracket	KV30 old, KV32 old	G1¼", internal thread	1"	2	ø 40 mm	G1½"	Nodular cast iron	No	Bracket 350 122, including transition piece 350 123
PXM	50 784 adapter/bracket	KG30, KG31, KG38, KG39	Flange	1"	2	ø 40 mm	ø 88 mm, 2 x ø 11 mm	Nodular cast iron	No	Bracket 22 366 KG is the same as Piranha including screws and seal

AS, IP, MF





Current products



Accessories

Transition piece

3 140 0621 (G1½")
3 140 0032 (G1½")
3 140 0033 (G2")



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	All variants	G2"	G2", G1½"/1½" internal thread	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0182)	Cast iron/stainless steel	No	Transition piece 3 140 0621/ 3 140 0032/33, with adapter
IEM	6 232 0558	G2"	G1½"/1½", internal thread	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0182)	Cast iron	No	Transition piece 3 140 0032, with adapter
IEM	6 232 0560	G2"	G2", internal thread	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0182)	Cast iron	No	Transition piece 3 140 0033
IEM	6 232 0690	G2"	G2", internal thread	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0182)	Stainless steel	No	Transition piece 3 140 0033
IEM	6 232 5012	G2"	G1½"/1½", internal thread	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0182)	Cast iron	No	
IEM	6 232 5001	G2"	G1½"/1½" internal thread	1¼"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0182)	Cast iron	No	Transition piece 3 140 0621


PIRANHA

Current products

3 256 0675 (DIN)
3 256 0670 (ANSI)

Pedestal base


1992



3 142 0671

Pedestal bracket


1992



Single guide rail 2"


Pedestal base

Guide piece
3 145 0510



Accessories



Shackle
3 223 0104



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM/BRA	All variants	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0566)	Cast iron	No	With shackle
IEM/BRA	6 232 0660	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0566)	Cast iron	No	With shackle
IEM	6 232 0661	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0566)	Cast iron	No	With shackle

AS


Spare parts



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	6 232 0550	G2"	G2", internal thread	1 1/4"	1	2 dowels UPAT B14/25	Gasket in NBR (4 307 0182)	Cast iron	No	



We know how water works





DN 65

AS, MF

Current products

DN 65





MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	6 232 0673	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 x M10 x100 anchor bolts	Gasket in NBR [4 307 5009]	Cast iron	No	

K, KV

Current products


DN 65



MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	11 430 base	Flange ø 65	□ 100 mm 4 x R9.5 mm	1"	2	4 expansion-shell bolts M12 x 120		Cast iron	No	
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	22 369 adapter/bracket	K60, K63	Flange	1"	2	ø 65	ø 145 mm 4 x ø 18 mm	Cast iron	No	
PXM	50 787 adapter/bracket	KV54, KV55, KV56	G2", internal thread	1"	2	ø 65	□ 75 mm 4 x ø 9 mm	Cast iron	No	Bracket 11 431, including transition piece 05 346



We know how water works



3"

(only American market)

SCAVENGER


Current products

DN 3"

3 256 7912

Pedestal base


1998



3 142 7954


Pedestal bracket

2002



3 142 7956


2002



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
BRA	All variants	3" BSP, NPT internal thread	3", 2"	1"	1	4 stone bolts M12 x 150	U-seal in NBR (4 308 7983)	Cast iron	No	
BRA	6 232 7995	3"BSP, internal thread	3"	1"	1	4 stone bolts M12 x 150	U-seal in NBR (4 308 7983)	Cast iron	No	
BRA	6 232 7994	3"BSP, internal thread	2"	1"	1	4 stone bolts M12 x 150	U-seal in NBR (4 308 7983)	Cast iron	No	
BRA	6 232 7989	3"NPT, internal thread	2"	1"	1	4 stone bolts M12 x 150	U-seal in NBR (4 308 7983)	Cast iron	No	
BRA	6 232 7988	3"NPT, internal thread	3"	1"	1	4 stone bolts M12 x 150	U-seal in NBR (4 308 7983)	Cast iron	No	



We know how water works



DN
80


AFP, AS

Current products

3 256 0671 (DIN)

Pedestal base


1992



3 142 0675


Pedestal bracket

1992



Accessories

Clamping device
3 110 0138
O-ring
1 112 0322








MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM/BRA	All variants	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0362)	Cast iron	No	With/without clamping device
IEM/BRA	6 232 0649	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0362)	Cast iron	No	Without clamping device
IEM	6 232 0650	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0362)	Cast iron	No	With clamping device

JS, K, KL, KP, SP

Current products

DN 80



MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	11 246 base	SMS 342, PN 10	ø 160 mm 4 x ø 18 mm	2"	2	4 expansion-shell bolts M16 x 140		Cast iron	No	Old Swedish standard (SMS = Sveriges Maskin Standard)
PXM	354 130 base	Flange DIN, DN 80, PN 16	ø 160 mm 8 x ø 18 mm	2"	2	4 expansion-shell bolts M16 x 140		Cast iron	No	Flygt compatible
PXM	354 131 base	Flange ANSI 3", Class 125	ø 152 mm 4 x ø 19 mm	2"	2	4 expansion-shell bolts M16 x 140		Cast iron	No	Flygt compatible
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	11 321 adapter/bracket	K80, K84	Top	2"	2	-	-	Nodular cast iron	No	
PXM	11 340 adapter/bracket	K85, K86, K87, K89	Top	2"	2	-	-	Nodular cast iron	No	
PXM	11 379 adapter/bracket	K60, K63, K81, K83 all pumps drilled DIN, DN 65, PN16	Flange DIN, DN 65, PN 16	2"	2	Konikal DN 65 to DN 80	ø 145 mm 4 x ø 18 mm	Nodular cast iron	No	Flygt compatible

JS, K, KL, KP, SP





Current products

MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	22 084 adapter/bracket	K82	Flange	2"	2	SMS 342, PN10	ø 160 mm 4 x M16	Nodular cast iron	No	Old Swedish standard (SMS = Sveriges Maskin Standard)
PXM	353 484 adapter/bracket	All pumps drilled DIN DN 80, PN 16	Flange	2"	2	Flange DIN, DN 80, PN 16	ø 160 mm 8 x M16	Nodular cast iron	No	Flygt compatible
PXM	353 881 adapter/bracket	K82, all pumps drilled ANSI 3", Class 125	Flange	2"	2	Flange ANSI 3", Class 125	ø 145 mm 4 x M16	Nodular cast iron	No	Flygt compatible
PXM	352 443 adapter/bracket	SP20, SP30	Angle	2"	2	ø 80 mm Pumpex drainage P1001-1501 ABS JS24-44	oval flange, 105 mm, 2 x ø 9 mm	Nodular cast iron	No	
PXM	352 444 adapter/bracket	SP50, SP80	Angle	2"	2	ø 80 mm Pumpex drainage P2001-3001 ABS JS54-84	□ 127 x 82 mm, 4 x ø 9 mm	Nodular cast iron	No	

K, KL, KP, SP

Current products

DN 80



MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	355 256 base	Flange DIN, DN 80, PN 16	ø 160 mm 8 x ø 18 mm	2"	2	4 expansion-shell bolts M16 x 140		Nodular cast iron	No	Minimizer Flygt compatible
PXM	355 257 base	Flange ANSI 3", Class 125	ø 152 mm 4 x ø 19 mm	2"	2	4 expansion-shell bolts M16 x 140		Nodular cast iron	No	Minimizer Flygt compatible
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	11 321 adapter/bracket	K80, K84	Top	2"	2	-	-	Nodular cast iron	No	
PXM	11 340 adapter/bracket	K85, K86, K87, K89	Top	2"	2	-	-	Nodular cast iron	No	
PXM	11 379 adapter/bracket	K60, K63, K81, K83 all pumps drilled DIN, DN 65, PN 16	Flange DIN, DN 65, PN 16	2"	2	Konikal, DN 65 to DN 80	ø 145 mm 4 x ø 18 mm	Nodular cast iron	No	Flygt compatible
PXM	353 484 adapter/bracket	All pumps drilled DIN DN 80, PN 16	Flange	2"	2	Flange DIN, DN 80, PN 16	ø 160 mm 8 x M16	Nodular cast iron	No	Flygt compatible




K, KL, KP, SP

Current products

MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Flange size	Flange drilling	Material	Non sparking available	Comments
PXM	353 881 adapter/bracket	All pumps drilled ANSI 3", Class 125	Flange	2"	2	Flange ANSI 3", Class 125	ø 145 mm 4 x M16	Nodular cast iron	No	Flygt compatible
PXM	352 443 adapter/bracket	SP20, SP30	Angle	2"	2	ø 80 mm Pumpex drainage P1001-1501 ABS JS24-44	oval flange, 105 mm, 2 x ø 9 mm	Nodular cast iron	No	
PXM	352 444 adapter/bracket	SP50, SP80	Angle	2"	2	ø 80 mm Pumpex drainage P2001-3001 ABS JS54-84	□ 127 x 82 mm, 4 x ø 9 mm	Nodular cast iron	No	

Z

Current products



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Material	Non sparking available	Comments
SEM	122 159 base	Flange DIN, DN 100, PN 10/16	DN 80, ANSI 3"	ø 76/69 or 2"	2	-	Cast iron	No	Pedestal base excluding pedestal bracket and guide rails
SEM	131 429 base	Flange ANSI 4", Class 125	DN 80, ANSI 3"	ø 76/69 or 2"	2	-	Cast iron	No	Pedestal base (flat face) excluding pedestal bracket and guide rails
SEM	126 225 base	Flange DIN, DN 100, PN 10/16	DN 80, ANSI 3"	ø 76/69 or 2"	2	-	Stainless steel	No	Pedestal base excluding pedestal bracket and guide rails
SEM	131 479 base	Flange ANSI 4", Class 125	DN 80, ANSI 3"	ø 76/69 or 2"	2	-	Stainless steel	No	Pedestal base (flat face) excluding pedestal bracket and guide rails
MU	Part number	Gasket and glue	Pump connection	Guide rail size	No. of guide rails		Material	Non sparking available	Comments
SEM	122 160 pedestal bracket	Sealing ring in NBR (122 161)	Flange DIN, DN 80, PN10/16	ø 76/69 or 2"	2	-	Nodular cast iron	No	
SEM	132 340 pedestal bracket	Sealing ring in NBR (122 161)	Flange ANSI 3", Class 125	ø 76/69 or 2"	2	-	Nodular cast iron	No	
SEM	126 226 pedestal bracket	Sealing ring in NBR (122 161)	Flange DIN, DN 80, PN10/16	ø 76/69 or 2"	2	-	Stainless steel	No	
SEM	131 962 pedestal bracket	Sealing ring in NBR (122 161)	Flange ANSI 3", Class 125	ø 76/69 or 2"	2	-	Stainless steel	No	

AFP, AS


Current products

DN 80

3 256 0602 (DIN)

Pedestal base


1972



3 142 0521

Pedestal bracket

1978




Single guide rail 2"

Accessories

Guide piece
3 145 0510

Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	6 232 0517	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0530)	Cast iron	No	


AFP

Current products

3 256 0625 (DIN)

Pedestal base


1982



3 142 0555

Pedestal bracket

1991






DN 80

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	6 232 0557	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	3 dowels PS-B15/25	Gasket in NBR [4 307 0182]	Cast iron	No	

AFP, AS

Spare parts



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in galv. or stainless steel
IEM	6 232 0604	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in galv. steel
IEM	6 232 0611	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in stain. steel
IEM	6 232 0613*	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in galv. steel
IEM	6 232 0615	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in stain. steel
IEM	6 232 0603	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in galv. steel
IEM	6 232 0610	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in stain. steel1
IEM	6 232 0612*	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in galv. steel
IEM	6 232 0614	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in stain. steel

* with clamping device


AFP, AS

Spare parts

3 256 0617 (DIN)

Pedestal base

1981




3 142 0502

Pedestal bracket


1972

Detail X




3 142 0521

1978




Accessories

Clamping device
2 110 0120
Sealing ring
4 304 0204



for steel tube

Clamping device
2 110 0119
Sealing ring
4 304 0203



for cast iron tube

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	All variants	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0516) or (4 307 0530)	Cast iron	No	Clamping device for steel/cast iron tube or without cl. device
IEM	6 232 0530	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0516)	Cast iron	No	Clamping device for steel tube
IEM	6 232 0535	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0516)	Cast iron	No	Clamping device for cast iron tube
IEM	6 232 0543	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0516)	Cast iron	No	Without clamping device
IEM	6 232 0527	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0530)	Cast iron	No	Clamping device for steel tube
IEM	6 232 0534	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0530)	Cast iron	No	Clamping device for cast iron tube
IEM	6 232 0542	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0530)	Cast iron	No	Without clamping device


AFP

Spare parts

3 256 0625 (DIN)

Pedestal base


1982



3 142 0555


Pedestal bracket

1991




Accessories

Transition piece
3 140 0032




Transition piece
3 140 0033



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	all variants	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	3 dowels PS-B15/25	Gasket in NBR (4 307 0182)	Cast iron	No	With transition piece 3 140 0032/33
IEM	6 232 0559	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	3 dowels PS-B15/25	Gasket in NBR (4 307 0182)	Cast iron	No	With transition piece 3 140 0032
IEM	6 232 0561	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	3 dowels PS-B15/25	Gasket in NBR (4 307 0182)	Cast iron	No	With transition piece 3 140 0033







We know how water works



DN 100

AFP

Current products






MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1 or 2	4 chemical anchors M16*	O-ring in NBR (1 112 0562) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPR31211D	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 chemical anchors M16*	O-ring in NBR (1 112 0562) Loctite 454 (9 510 0209)	Cast iron	No	

* Special fastening set is available from DEM

AFP

Current products







MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM/IEM/BRA	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0363)	Cast iron	No	With/without clamping device
DEM/IEM/BRA	DP1111111 (6 232 0652)	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0363)	Cast iron	No	Without clamping device
DEM/IEM	DP1111311 (6 232 0653)	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0363)	Cast iron	No	Clamping device ø 110
DEM/IEM	DP1111411 (6 232 0654)	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0363)	Cast iron	No	Clamping device ø 115
DEM	DP1121111 (6 232 0664)	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0363)	Cast iron	No	Without clamping device
DEM	DP1121411 (6 232 0665)	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0363)	Cast iron	No	Clamping device ø 115

■ = not available

K, KP

Current products



MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	11 249 base	Flange DIN, DN 100, PN 16, ANSI 4", Class 125	ø 180 mm 8 x ø 18 mm, ø 191 mm 8 x ø 19 mm	2"	2	4 expansion-shell bolts M16 x 140		Cast iron	No	Flygt compatible
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	11 321 adapter/bracket	K104	Top	2"	2	-	-	Nodular cast iron	No	
PXM	11 340 adapter/bracket	K100, K102, K103, K106	Top	2"	2	-	-	Nodular cast iron	No	
PXM	22 085 adapter/bracket	K101 old, K101 new (M32), K102 old, K106 old, all pumps drilled DIN, DN 100, PN16	Flange	2"	2	Flange DIN, DN 100, PN 16	ø 180 mm 8 x M16	Nodular cast iron	No	Pumps changed 1988 Flygt compatible





K, KP

Current products

MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	355 723 adapter/bracket	K101 old, K101 new (M32), K102 old, K106 old, all pumps drilled ANSI 4", Class 125	Flange	2"	2	Flange ANSI 4", Class 125	ø 191 mm 4 x M16	Nodular cast iron	No	Flygt compatible
PXM	11 417 adapter/bracket	K80, K84, K85, K86, K87, K89, all pumps drilled DIN, DN 80, PN16	Flange	2"	2	Konical DN 80 to DN 100	ø 160 mm 8 x ø 18	Nodular cast iron	No	
PXM	354 126 adapter/bracket	K80, K84, K85, K86, K87, K89, all pumps drilled ANSI 3", Class 125	Flange	2"	2	Konical ANSI 3" to DN 100	ø 152 mm 4 x ø 19	Nodular cast iron	No	For US drilled pumps

K, KP

Current products



MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	355 258 base	Flange DIN, DN 100, PN 16	ø 180 mm 8 x ø 18 mm	2"	2	4 expansion-shell bolts M16 x 140		Cast iron	No	Minimizer Flygt compatible
PXM	355 259 base	Flange ANSI 4", Class 125	ø 191 mm 8 x ø 19 mm	2"	2	4 expansion-shell bolts M16 x 140		Cast iron	No	Minimizer Flygt compatible
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	11 321 adapter/bracket	K104	Top	2"	2	-	-	Nodular cast iron	No	
PXM	11 340 adapter/bracket	K100, K102, K103, K106	Top	2"	2	-	-	Nodular cast iron	No	
PXM	22 085 adapter/bracket	All pumps drilled DIN, DN 100, PN16	Flange	2"	2	Flange DIN, DN 80, PN 16	ø 160 mm 8 x M16	Nodular cast iron	No	Pumps changed 1988 Flygt compatible




K, KP

Current products

MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	355 723 adapter/bracket	All pumps drilled ANSI 4", Class 125	Flange	2"	2	Flange ANSI 4", Class 125	ø 191 mm 4 x M16	Nodular cast iron	No	Flygt compatible
PXM	11 417 adapter/bracket	K80, K87, K89, all pumps drilled DIN, DN 80, PN16	Flange	2"	2	Konikal DN 80 to DN 100	ø 160 mm 8 x ø 18	Nodular cast iron	No	
PXM	354 126 adapter/bracket	K80, K87, K89, all pumps drilled ANSI 3", Class 125	Flange	2"	2	Konikal ANSI 3" to DN 100	ø 152 mm 4 x ø 19	Nodular cast iron	No	For US drilled pumps




AFP

Current products







MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron/St. steel	No	Fastening elements galv. or stainl. steel
IEM	6 232 0516	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Fastening elements in galv. steel
IEM	6 232 5006	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in FPM (4 307 0517)	Stain. steel	No	Fastening elements in stainless steel
IEM	6 232 5009	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in FPM (4 307 0517)	Stain. steel	No	Fastening elements in stainless steel

AFP



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in galv. steel
DEM	DP1711111 (6 232 0598)	Flange DIN, PN 16, Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in galv. steel
DEM	DP1721111	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Sealing ring in NBR (1 112 0326)	Cast iron	No	Fastening elements in galv. steel

AFP



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM/ IEM/ BRA	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1 or 2	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0562) Loctite 454 (9 510 0209)	Cast iron/ SS	Yes	
DEM/ IEM/ BRA	DPR312111 (6 232 5019)	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0562) Loctite 454 (9 510 0209)	Cast iron	No	
DEM/ IEM	DPR322111 (6 232 5020)	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0562) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPR3A21A1	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0562) Loctite 454 (9 510 0209)	SS	No	


AFP

Spare parts

3 256 0658 (DIN/ANSI)

Pedestal base


1989




3 142 0635

Pedestal bracket

1989




3 142 0639 (□)




Accessories

Clamping device
3 110 0116
O-ring
1 112 0313



Clamping device
3 110 0137
O-ring
1 112 0323



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	With/without clamping device
DEM	6 232 0605	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Without clamping device
DEM	6 232 0616*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Without clamping device
DEM	6 232 0625	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Clamping device ø 115
DEM	6 232 0626*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Clamping device ø 115
DEM	6 232 0637	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Clamping device ø 110
DEM	6 232 0638*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Clamping device ø 110

* Fastening elements in stainless steel, ■ = not available

AFP



Spare parts

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	6 232 0606	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Without clamping device
DEM	6 232 0624*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Without clamping device
DEM	6 232 0627	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Clamping device Ø 115
DEM	6 232 0628*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Clamping device Ø 115
DEM	6 232 0639	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Clamping device Ø 110
DEM	6 232 0640*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 326)	Cast iron	No	Clamping device Ø 110

DN 100

* Fastening elements in stainless steel, ■ = not available


AFP



DN 100

Accessories

Clamping device
3 110 0116
Sealing ring
4 304 0202



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	With/without clamping device
DEM	6 232 0528	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Clamping device Ø 110
DEM	6 232 0544	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Without clamping device
DEM	6 232 0531	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Clamping device Ø 110
DEM	6 232 0545	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Without clamping device

■ = not available


AFP

Spare parts

3 256 0662 (DIN)
3 256 0557 (ANSI)

Pedestal base


1989
1991



3 142 0641 (□)

Pedestal bracket

1988



Accessories

Guide piece
3 145 0553

**NO DRAWING
AVAILABLE**

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in CR (4 307 0518)	1.4408	No	
DEM	6 232 0641	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in CR (4 307 0518)	1.4408	No	
DEM	6 232 0659	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in CR (4 307 0518)	1.4408	No	

■ = not available


AFP

Spare parts

3 256 0611 (DIN)
3 256 0647 (ANSI)

Pedestal base


1974
1987



4 142 0504 (□)


Pedestal bracket

1970




4 142 0515 (□)

1974



4 142 0520


1978



Single guide rail 2"

Pedestal base

Guide piece
3 145 0510



Accessories

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron/St. steel	No	Fastening elements galv. or stainl. steel
DEM	6 232 0505	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0513	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0516	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0586	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Fastening elements in stainless steel
DEM	6 232 0587	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	Cast iron	No	Fastening elements in stainless steel

■ = not available


AFP, stainless steel

Spare parts

3 256 0627 (DIN)
3 256 0645 (ANSI)

Pedestal base

1986
1987




NOT AVAILABLE

3 142 0582 (□)

Pedestal bracket

1986



DN 100

Single guide rail 2" Accessories

Guide piece
3 145 0553

Pedestal base


NO DRAWING AVAILABLE

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	1.4408	No	
DEM	6 232 0591	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	1.4408	No	
DEM	6 232 0592	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in CR (4 307 0518)	1.4408	No	

■ = not available



We know how water works




DN 150

AFP

Current products

3 256 0905 (DIN/ANSI)
3 256 0917 SX (DIN/ANSI)
3 256 0906* (DIN/ANSI)


Pedestal base 2007



* for dual guide rail

3 142 0889
3 142 0912 SX


Pedestal bracket 2003



Single guide rail 2"


Guide piece
3 145 0056
3 145 0083 SX

Pedestal base



Guide rail
3 145 0057
3 145 0065 non sparking
3 145 0084 SX

Pedestal bracket




Accessories

Dual guide rail 2"


Guide piece
3 145 0071
3 145 0077 SX

Pedestal base



Guide rail
3 145 0070
3 145 0076 SX

Pedestal bracket



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1 or 2	4 chemical anchors M16*	O-ring in NBR [1 112 0563] Loctite 454 [9 510 0209]	Cast iron/SS	Yes	
DEM	DPS91211A	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 chemical anchors M16*	O-ring in NBR [1 112 0563] Loctite 454 [9 510 0209]	Cast iron	No	

* Special fastening set is available from DEM


AFP

Current products

3 256 0672 (DIN/ANSI)

Pedestal base


1992



3 142 0677


Pedestal bracket

1992




Accessories

Clamping device
3 110 0139
O-ring
1 112 0324



Clamping device
3 110 0140
O-ring
1 112 0325





DN 150

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM/IEM/BRA	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0364)	Cast iron	No	With/without clamping device
DEM/IEM/BRA	DP3111111 (6 232 0655)	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0364)	Cast iron	No	Without clamping device
DEM/IEM	DP3111511 (6 232 0656)	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0364)	Cast iron	No	Clamping device Ø 160
DEM/IEM	DP3111611 (6 232 0657)	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0364)	Cast iron	No	Clamping device Ø 169
DEM	DP3121111	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels PS-B15/25	Gasket in NBR (4 307 0364)	Cast iron	No	Without clamping device

K, KP

Current products



DN 150

MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	11 252 base	Flange DIN, DN 150, PN 16, ANSI 6", Class 125	ø 240 mm 8 x ø 22 mm ø 241 mm 8 x ø 22 mm	2"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	Flygt compatible
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	11 340 adapter/bracket	K150, K153	Top	2"	2	-	-	Nodular cast iron	No	
PXM	22 086 adapter/bracket	K151 old, K151 new (M32), K152, K155, K156, all pumps drilled DIN DN 150, PN 16	Flange	2"	2	Flange DIN, DN 150, PN 16	ø 240 mm 8 x ø 20 mm	Nodular cast iron	No	For 2" guide rails Flygt compatible
PXM	353 061 adapter/bracket	All pumps drilled DIN, DN 150, PN16	Flange	3"	2	Flange DIN, DN 150, PN 16	ø 240 mm 8 x M20	Nodular cast iron	No	For 3" guide rails, (22 086 with welded piece) Flygt compatible

K, KP


Current products

MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	351 628 adapter/bracket	K100, K102, K103, K106, all pumps drilled DIN, DN 100, PN 16	Flange	2"	2	Konikal DN 100 to DN 150	ø 180 mm 4 x ø 18 mm	Nodular cast iron	No	For 2" guide rails Flygt compatible
PXM	354 125 adapter/bracket	K100, K102, K103, K106, all pumps drilled ANSI 4", Class 125	Flange	2"	2	Konikal ANSI 4" to 6"	ø 191 mm 8 x ø 19 mm	Nodular cast iron	No	(351 628 with different machining), for 2" guide rails Flygt compatible
PXM	354 034 adapter/bracket	All pumps drilled DIN, DN 100, PN 16	Flange	3"	2	Konikal DN 100 to DN 150	ø 180 mm 4 x ø 18 mm	Nodular cast iron	No	(351 628 with different machining), for 3" guide rails Flygt compatible
PXM	356 079 adapter/bracket	All pumps drilled ANSI 4", Class 125	Flange	3"	2	Konikal ANSI 4" to 6"	ø 191 mm 8 x ø 19 mm	Nodular cast iron	No	(351 628 with different machining), for 3" guide rails Flygt compatible


K, KP

Current products


355 260 (DIN/ANSI) Pedestal base 2003




22 086 353 061 Pedestal bracket 1980



11 340 1999



351 628 (DIN, 2") 354 125 (ANSI, 2") 351 034 (DIN, 3") 356 079 (ANSI, 3") 1997



DN 100 to DN 150

DN 150

MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	355 260 base	Flange DIN, DN 150, PN 16, ANSI 6", Class 125	ø 240 mm 8 x ø 23 mm ø 241 mm 8 x ø 23 mm	2"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	Minimizer Flygt compatible
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	11 340 adapter/bracket	K150, K153	Top	2"	2	-	-	Nodular cast iron	No	
PXM	22 086 adapter/bracket	K151 old, K151 new (M32), K152, K155, K156, all pumps drilled DIN DN 150, PN 16	Flange	2"	2	Flange DIN, DN 150, PN 16	ø 240 mm 8 x ø M20	Nodular cast iron	No	for 2" guide rails Flygt compatible
PXM	353 061 adapter/bracket	All pumps drilled DIN, DN 150, PN16	Flange	3"	2	Flange DIN, DN 150, PN 16	ø 240 mm 8 x M20	Nodular cast iron	No	for 3" guide rails, (22 086 with welded piece) Flygt compatible

K, KP

Current products


MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	351 628 adapter/bracket	K100, K102, K103, K106, all pumps drilled DIN, DN 100, PN 16	Flange	2"	2	Konikal DN 100 to DN 150	ø 180 mm 4 x ø 18 mm	Nodular cast iron	No	For 2" guide rails Flygt compatible
PXM	354 125 adapter/bracket	K100, K102, K103, K106, all pumps drilled ANSI 4", Class 125	Flange	2"	2	Konikal ANSI 4" to 6"	ø 191 mm 8 x ø 19 mm	Nodular cast iron	No	(351 628 with different machining), for 2" guide rails Flygt compatible
PXM	354 034 adapter/bracket	All pumps drilled DIN, DN 100, PN 16	Flange	3"	2	Konikal DN 100 to DN 150	ø 180 mm 4 x ø 18 mm	Nodular cast iron	No	(351 628 with different machining), for 3" guide rails Flygt compatible
PXM	356 079 adapter/bracket	All pumps drilled ANSI 4", Class 125	Flange	3"	2	Konikal ANSI 4" to 6"	ø 191 mm 8 x ø 19 mm	Nodular cast iron	No	(351 628 with different machining), for 3" guide rails Flygt compatible

AFP

Current products


3 256 0620 (DIN/ANSI)

Pedestal base 1982



3 142 0535

Pedestal bracket 1982




Single guide rail 2"

Accessories

Guide piece
3 145 0510

Pedestal base






DN 150

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
IEM	6 232 0537	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	Fastening elements in galv. steel

AFP

Current products




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
BRA	6 232 7905	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 T stone bolts M20 x 250	U-seal in NBR (4 308 7945)	Cast iron	No	

AFP

3 256 0651 (DIN/ANSI)

Pedestal base


1989



3 142 0612

Pedestal bracket

1989




Single guide rail 2"

Accessories

Guide piece
3 145 0518

Pedestal base




DN 150

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 1120 259)	Cast iron	No	
DEM	DP2311111 (6 232 0594)	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0259)	Cast iron	No	
DEM	DP2321111 (6 232 0595)	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0259)	Cast iron	No	

AFP

3 256 0703 (DIN/ANSI)
3 256 0708* (DIN/ANSI)
3 256 0713 SX (DIN/ANSI)


Pedestal base 2003



* for dual guide rail

3 142 0889
3 142 0912 SX


Pedestal bracket 2003



Single guide rail 2"


Guide piece
3 145 0056
3 145 0083 SX

Pedestal base



Guide rail
3 145 0057
3 145 0065 non sparking
3 145 0084 SX

Pedestal bracket




Accessories

Dual guide rail 2"


Guide piece
3 145 0071
3 145 0077 SX

Pedestal base



Guide rail
3 145 0070
3 145 0076 SX

Pedestal bracket




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1 or 2	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0563) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPS912111	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0563) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPS9A21A1	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0563) Loctite 454 (9 510 0209)	SS	No	

AFP

3 256 0659 (DIN/ANSI)

Pedestal base


1989



3 142 0636


Pedestal bracket

1988




3 142 0640

1989




Accessories

Clamping device
3 110 0139
O-ring
1 112 0324



Clamping device
3 110 0140
O-ring
1 112 0325



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	With/without clamping device
DEM	6 232 0607	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Without clamping device
DEM	6 232 0619*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Without clamping device
DEM	6 232 0621	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Clamping device Ø 160
DEM	6 232 0622*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Clamping device Ø 160
DEM	6 232 0623	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Clamping device Ø 169
DEM	6 232 0631*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Clamping device Ø 169

* Fastening elements in stainless steel

AFP

Spare parts

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	6 232 0608	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Without clamping device
DEM	6 232 0620*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Without clamping device
DEM	6 232 0632	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Clamping device Ø 160
DEM	6 232 0633*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Clamping device Ø 160
DEM	6 232 0634	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Clamping device Ø 169
DEM	6 232 0635*	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Sealing ring in NBR (1 112 327)	Cast iron	No	Clamping device Ø 169

* Fastening elements in stainless steel


AFP

Spare parts

3 256 0618 (DIN)

Pedestal base



1981



3 142 0535



Pedestal bracket

1982




3 142 0536

1982



Accessories

Clamping device
2 110 0121
Sealing ring
4 304 0205



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	With/without clamping device
DEM	6 232 0529	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	With clamping device
DEM	6 232 0546	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	Without clamping device
DEM	6 232 0532	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	With clamping device
DEM	6 232 0547	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	Without clamping device


AFP

Spare parts

3 256 0654 (DIN)

Pedestal base


1988



3 142 0631

Pedestal bracket

1988



Single guide rail 2"

Accessories

Guide piece
3 145 0553

Pedestal bracket




NO DRAWING
AVAILABLE

DN 150

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	6 232 0600	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR [4 307 0519]	1.4408	No	

AFP

Spare parts




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0539)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0524	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0539)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0590	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0539)	Cast iron	No	Fastening elements in stainless steel

AFP

3 256 0620 (DIN/ANSI)

Pedestal base



1982



3 142 0535



Pedestal bracket

1982



3 142 0536

1982




Single guide rail 2"

Accessories

Guide piece
3 145 0510


Pedestal bracket



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 16/ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0537	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0589	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	Fastening elements in stain. steel
DEM	6 232 0555	Flange DIN, PN 16	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0588	Flange ANSI, Class 125	Flange DIN, PN 16	2"	1	4 dowels UPAT B14/25	Gasket in NBR (4 307 0519)	Cast iron	No	Fastening elements in stain. steel



We know how water works




DN 200

AFP

Current products

3 256 0907 (DIN/ANSI)
3 256 0919 SX (DIN/ANSI)
3 256 0908* (DIN/ANSI)


Pedestal base 2007



* for dual guide rail

3 142 0890
3 142 0913 SX


Pedestal bracket 2003



Guide piece
3 145 0056
3 145 0083 SX


Single guide rail 2"

Pedestal base



Guide rail
3 145 0057
3 145 0065 non sparking
3 145 0084 SX


Pedestal bracket



Guide piece
3 145 0071
3 145 0077 SX


Dual guide rail 2"

Pedestal base



Guide rail
3 145 0070
3 145 0076 SX

Pedestal bracket





MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1 or 2	4 chemical anchors M20*	O-ring in NBR (1 112 0564) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPT91211D	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0564) Loctite 454 (9 510 0209)	Cast iron	No	

* Special fastening set is available from DEM

AFP

Current products




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM/ IEM/ BRA	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0423)	Cast iron	No	
DEM/ IEM/ BRA	DP5111111 (6 232 0658)	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0423)	Cast iron	No	
DEM	DP5121111 (6 232 0680)	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0423)	Cast iron	No	

DN 200

K


Current products

11 256 (DIN/ANSI) Pedestal base 1979




22 089 (DIN, 2") Pedestal bracket 1979

355 245 (ANSI, 2")
353 064 (DIN, 2")
353 134 (DIN, 3")
355 246 (ANSI, 3")



351 871 (DIN) 1997

353 063 (DIN, 2")
354 218 (DIN, 3")



DN 150 to DN 200

MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	11 256 base	Flange DIN, DN 200, PN 16, ANSI 8", Class 125	ø 295 mm 8 x ø 22 mm, ø 299 mm 8 x ø 22 mm	2"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	22 089 adapter/bracket	K200 New (M32), K202 old, K203, all pumps drilled DIN, DN 200, PN16	Flange	2"	2	Flange DIN, DN 200, PN 16	ø 295 mm 8 x M20	Nodular cast iron	No	
PXM	355 245 adapter/bracket	K200 New (M32), K202 old, K203 all pumps drilled ANSI 8", Class 125	Flange	2"	2	Flange ANSI 8", Class 125	ø 298.5 mm 8 x M20	Nodular cast iron	No	
PXM	353 064 adapter/bracket	All pumps drilled DIN, DN200, PN16	Flange	2"	2	Flange DIN, DN 200, PN16	ø 295 mm 8 x M20 mm	Nodular cast iron	No	(22 089 with different machining) Flygt compatible
PXM	353 134 adapter/bracket	All pumps drilled DIN, DN 200, PN16	Flange	3"	2	Flange DIN, DN 200, PN 16	ø 295 mm 8 x M20	Nodular cast iron	No	(22 089 with welded piece) Flygt compatible
PXM	355 246 adapter/bracket	All pumps drilled ANSI 8", Class 125	Flange	3"	2	Flange ANSI 8", Class 125	ø 298.5 mm 8 x M20	Nodular cast iron	No	(355 245 with welded piece) Flygt compatible
PXM	351 871 adapter/bracket	K150, K151 New (M32), K152, K153, all pumps drilled DIN, DN 150, PN16	Flange	2"	2	Konikal DIN, DN 150 to DN 200	ø 240 mm 8 x M20 mm	Nodular cast iron	No	
PXM	353 063 adapter/bracket	All pumps drilled DIN, DN150, PN16	Flange	2"	2	Konikal DIN, DN 150 to DN 200	ø 240 mm 8 x M20 mm	Nodular cast iron	No	(351 871 with different machining) Flygt compatible
PXM	354 218 adapter/bracket	All pumps drilled DIN, DN150, PN16	Flange	3"	2	Konikal DIN, DN 150 to DN 200	ø 240 mm 8 x M20 mm	Nodular cast iron	No	(351 871 with different machining) Flygt compatible

DN 200


AFP

Current products

3 256 7915 (DIN)

Pedestal base


1999



3 142 7948

Pedestal bracket

1999




Single guide rail 2"

Accessories

Guide piece
3 145 7901

Pedestal base



DN 200

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
BRA	6 232 7969	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 T stone bolts M20 x 250	U-seal in NBR (4 308 7946)	Cast iron	No	


AFP

Current products

3 256 7613 (DIN)

Pedestal base


1985



3 142 7523

Pedestal bracket

1985




Single guide rail 3"

Accessories

Guide piece
3 145 7552

Pedestal base



DN 200


MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
BRA	6 232 7525	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	U-seal in BUNA N [4 308 7947]	Cast iron	No	

AFP

3 256 0653 (DIN)
3 256 0652 (ANSI)

Pedestal base


1989



3 142 0613

Pedestal bracket

1989




Single guide rail 2"

Accessories

Guide piece
3 145 0518

Pedestal base



DN 200


MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 1120 263)	Cast iron	No	
DEM	DP4911111 (6 232 0596)	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0263)	Cast iron	No	
DEM	DP4921111 (6 232 0597)	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0263)	Cast iron	No	

AFP

3 256 0674 (DIN)

Pedestal base


1989



3 142 0613

Pedestal bracket

1989




Single guide rail 2"

Accessories

Guide piece
3 145 0518

Pedestal base




DN 200

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	6 232 0647	Flange DIN, PN 16	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 320	O-ring in NBR [1 1120 263]	Cast iron	No	

AFP

Pedestal base 2003


3 256 0704 (DIN)
3 256 0709* (DIN)
3 256 0714 SX (DIN)
3 256 0706 (ANSI)
3 256 0719* (ANSI)







* for dual guide rail

Pedestal bracket 2003

3 142 0890
3 142 0913 SX



Single guide rail 2"		Accessories		Dual guide rail 2"			
Guide piece 3 145 0056 3 145 0083 SX	Pedestal base 	Guide piece 3 145 0071 3 145 0077 SX	Pedestal base 	Guide rail 3 145 0057 3 145 0065 non sparking 3 145 0084 SX	Pedestal bracket 	Guide rail 3 145 0070 3 145 0076 SX	Pedestal bracket 

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1 or 2	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0564) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPT912111	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0564) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPT922111	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0564) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPT9A21A1	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0564) Loctite 454 (9 510 0209)	SS	No	
DEM	DPT942171	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	O-ring in NBR (1 112 0564) Loctite 454 (9 510 0209)	Cast iron	Yes	


AFP

Spare parts

3 256 0660 (DIN/ANSI)

Pedestal base


1989



3 142 0637

Pedestal bracket

1989






MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Sealing ring in NBR (1 112 0327)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0609	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Sealing ring in NBR (1 112 0327)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0636	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Sealing ring in NBR (1 112 0327)	Cast iron	No	Fastening elements in stainl. steel

DN 200

AFP

Spare parts



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0520)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0551	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0520)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0514	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0520)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0575	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0520)	Cast iron	No	Fastening elements in stainless steel
DEM	6 232 0576	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0520)	Cast iron	No	Fastening elements in stainless steel


AFP

Spare parts

3 256 0612 (DIN)
3 256 0640 (ANSI)

Pedestal base


1975
1987



4 142 0517

Pedestal bracket


1975



Single guide rail 2"

Accessories

Guide piece
3 145 0517
3 145 0080 SX



DN 200

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0525)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0554	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0525)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0515	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0525)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0579	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0525)	Cast iron	No	Fastening elements in stainless steel
DEM	6 232 0577	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0525)	Cast iron	No	Fastening elements in stainless steel


AFP

Spare parts

3 256 0613 (DIN)
3 256 0641 (ANSI)

Pedestal base


1978
1987



3 142 0523

Pedestal bracket

1978




Single guide rail 2"

Accessories

Guide piece
3 145 0552

Pedestal base




DN 200

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	6 stone bolts BM24 x 500	Gasket in NBR (4 307 0532)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0525	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	6 stone bolts BM24 x 500	Gasket in NBR (4 307 0532)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0578	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	6 stone bolts BM24 x 500	Gasket in NBR (4 307 0532)	Cast iron	No	Fastening elements in stainless steel



We know how water works




DN 250

AFP

Current products


3 256 0909 (DIN/ANSI)
3 256 0921 SX (DIN/ANSI)

Pedestal base 2007




3 142 0876
3 142 0919 SX

Pedestal bracket 2002




Single guide rail 2"
Pedestal base

Guide piece
3 145 0064
3 145 0082 SX




Guide rail
3 145 0062
3 145 0063 non sparking
3 145 0081 SX

Pedestal bracket




Single guide rail 3"
Pedestal base

Guide piece
3 145 0054




Guide rail
3 145 0055
3 145 0058 non sparking

Pedestal bracket




Dual guide rail 2"
Pedestal base

Guide piece
3 145 0079



Guide rail
3 145 0078

Pedestal bracket





MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 chemical anchors M20*	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPE91211D	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPM31211D	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPE92211D	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPM32211D	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	

* Special fastening set is available from DEM

K

Current products



MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	355 464 base	Flange DIN, DN 250, PN 16	ø 350 mm 12 x ø 22 mm	3"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	same casting as DEM 3 256 0695
PXM	355 551 base	Flange ANSI 10". Class 125	ø 362 mm 12 x ø 22 mm	3"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	same casting as DEM 3 256 0696
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	355 465 adapter/bracket	K250 New (M32). all pumps drilled DIN, DN 250, PN16	Flange	3"	2	Flange DIN, DN 250, PN 10	ø 350 mm 10 x ø 23 mm	Nodular cast iron	No	same casting as DEM 3 142 0876

DN 250


AFP

Current products

3 256 7916 (DIN)

Pedestal base


1999



3 142 7949

Pedestal bracket

1999




Single guide rail 2"

Accessories

Guide piece
3 145 7901

Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
BRA	6 232 7970	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 T stone bolts M20 x 250	U-seal in NBR [4 308 7948]	Cast iron	No	


DN 250

AFP

3 256 0607 (DIN)
3 256 0642 (ANSI)

Pedestal base


1972
1987



3 142 0532

Pedestal bracket

1981




Single guide rail 2"

Accessories

Guide piece
3 145 0510

Pedestal base




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0544)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	DP7811111 (6232 0553)	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0544)	Cast iron	No	Fastening elements in galv. steel
DEM	DP7822111 (6232 0569)	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0544)	Cast iron	No	Fastening elements in stainless steel

AFP

Spare parts


Pedestal base **2002**
2003

3 256 0695 (DIN)
3 256 0696 (ANSI)
3 256 0711 PN16 (DIN)
3 256 0715 SX (DIN)




Pedestal bracket **2002**

3 142 0876
3 142 0919 SX




Single guide rail 2"
Pedestal base

Guide piece
3 145 0064
3 145 0082 SX




Guide rail
3 145 0062
3 145 0063 non sparking
3 145 0081 SX

Pedestal bracket




Single guide rail 3"
Pedestal base

Guide piece
3 145 0054




Guide rail
3 145 0055
3 145 0058 non sparking

Pedestal bracket




Dual guide rail 2"
Pedestal base

Guide piece
3 145 0079



Guide rail
3 145 0078

Pedestal bracket



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 stone bolts BM20 x 320/ BM24 x 400	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPE912111	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPM312111	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPE922111	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPM322111	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPM3A21A1	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 320	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Stainless steel	No	
DEM	6 232 0701	Flange DIN, PN 16	Flange DIN, PN 10	3"	1	4 stone bolts BM24 x 400	O-ring in NBR (1 112 0543) Loctite 454 (9 510 0209)	Cast iron	No	


AFP

Spare parts

3 256 0555 (DIN)
3 256 0556 (ANSI)

Pedestal base


1989



3 142 0655

Pedestal bracket

1989




Single guide rail 3"

Accessories

Guide piece
3 145 0552


Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in NBR (4 307 0235)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	DP6411111 (6 232 0643)	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in NBR (4 307 0235)	Cast iron	No	Fastening elements in galv. steel
DEM	DP6421111 (6 232 0644)	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in NBR (4 307 0235)	Cast iron	No	Fastening elements in stainless steel



We know how water works




DN 300

AFP

Current products


3 256 0910 (DIN/ANSI)
3 256 0923 SX (DIN/ANSI)

Pedestal base 2007




3 142 0872
3 142 0920 SX

Pedestal bracket 2002




Single guide rail 2"
Pedestal base

Guide piece
3 145 0064
3 145 0082 SX




Guide rail
3 145 0062
3 145 0063 non sparking
3 145 0081 SX

Pedestal bracket




Single guide rail 3"
Pedestal base

Guide piece
3 145 0054




Guide rail
3 145 0055
3 145 0058 non sparking

Pedestal bracket




Dual guide rail 2"
Pedestal base

Guide piece
3 145 0079



Guide rail
3 145 0078

Pedestal bracket





MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/PN 16/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 chemical anchors M20*	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPF91211D	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPN31211D	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPF92211D	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPN32211D	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron	No	

* Special fastening set is available from DEM

K

Current products





MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	355 261 base	Flange DIN, DN 300, PN 16	ø 400 mm 12 x ø 22 mm	3"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	same casting as DEM 3 256 0688
PXM	355 548 base	Flange ANSI 12". Class 125	ø 431.8 mm 12 x ø 25 mm	3"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	same casting as DEM 3 256 0697
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	355 462 adapter/bracket	K300 New (M32), all pumps drilled DIN, DN 300, PN16	Flange	3"	2	Flange DIN, DN 300, PN16	ø 400 mm 12 x ø 23 mm	Nodular cast iron	No	same casting as DEM 3 142 0872

DN 300

K

Current products



MU	Part number	Pipe connection	Pipe connection drilling	Guide rail size	No. of guide rails	Fastening elements (Anchors)		Material	Non sparking available	Comments
PXM	11 285 base	Flange DIN, DN 300, PN 16	ø 400 mm 12 x ø 23 mm	3"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	
PXM	354 014 base	Flange ANSI 12", Class 125	ø 431.8 mm 12 x ø 25 mm	3"	2	4 expansion-shell bolts M20 x 200		Cast iron	No	
MU	Part number	Used for pumps	Pump connection	Guide rail size	No. of guide rails	Bracket size	Bracket drilling	Material	Non sparking available	Comments
PXM	11 280 adapter/bracket	K252, all pumps drilled DIN, DN 250, PN16	Flange	3"	2	Flange DIN, DN 250, PN16	ø 350 mm 12 x ø M20	Nodular cast iron	No	
PXM	355 741 adapter/bracket	K252 all pumps drilled ANSI 10", Class 125	Flange	3"	2	Flange ANSI 10", Class 125	ø 362 mm 12 x M20	Nodular cast iron	No	
PXM	11 287 adapter/bracket	K302, all pumps drilled DIN DN 300, PN16	Flange	3"	2	Flange DIN, DN 300, PN16	ø 400 mm 12 x ø M20	Nodular cast iron	No	

DN 300


AFP

Current products

3 256 7614 (DIN)

Pedestal base


1985



3 142 7554

Pedestal bracket

1985




Single guide rail 3"

Accessories

Guide piece
3 145 7552

Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
BRA	6 232 7912	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	U-seal in BUNA N (4 308 7949)	Cast iron	No	


AFP

Current products

3 256 7914 (DIN)

Pedestal base


1999



3 142 7947

Pedestal bracket

1999




Single guide rail 2"

Accessories

Guide piece
3 145 7901

Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
BRA	6 232 7971	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 T stone bolts M20 x 250	U-seal in NBR [4 308 7950]	Cast iron	No	


DN 300

AFP

On request


3 256 0608 (DIN)
3 256 0631 (ANSI)
3 256 0720 SX (DIN)

Pedestal base **1973** **1987**



4 142 0512
4 142 0917 SX

Pedestal bracket **1979**




Single guide rail 2"

Accessories

Guide piece
3 145 0517
3 145 0080 SX

Pedestal base




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0523)	Cast iron/SS	No	Fastening elements in galv. or stainless steel
DEM	DP9311111	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0523)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0570	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0523)	Cast iron	No	Fastening elements in stainless steel
DEM	6 232 0705	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0523)	Stainless steel	No	Fastening elements in stainless steel

AFP

Spare parts


Pedestal base **2002**
2003

3 256 0688 (DIN)
3 256 0697 (ANSI)
3 256 0716 SX (DIN)
3 256 0723 PN16




Pedestal bracket **2002**

3 142 0872
3 142 0920 SX




Single guide rail 2"
Pedestal base

Guide piece
3 145 0064
3 145 0082 SX




Guide rail
3 145 0062
3 145 0063 non sparking
3 145 0081 SX

Pedestal bracket




Single guide rail 3"
Pedestal base

Guide piece
3 145 0054




Guide rail
3 145 0055
3 145 0058 non sparking

Pedestal bracket




Dual guide rail 2"
Pedestal base

Guide piece
3 145 0079



Guide rail
3 145 0078

Pedestal bracket



DN 300

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 stone bolts BM24 x 400	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPF912111	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 stone bolts BM24 x 400	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPN312111	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM24 x 400	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPF922111	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	4 stone bolts BM24 x 400	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPN322111	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM24 x 400	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPN3A21A1	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM24 x 400	O-ring in NBR (1 112 0544) Loctite 454 (9 510 0209)	Stainless steel	No	


AFP

Spare parts

3 256 0614 (DIN)
3 256 0632 (ANSI)

Pedestal base


1979
1987



3 142 0525 (PN16)
3 142 0554 (PN10)

Pedestal bracket

1979
1982




Single guide rail 3"

Accessories

Guide piece
3 145 0552


Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 16/PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0165)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0519	Flange DIN, PN 10	Flange DIN, PN 16	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0165)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0571	Flange ANSI, Class 125	Flange DIN, PN 16	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0165)	Cast iron	No	Fastening elements in stainless steel
DEM	DP8411111 (6 232 0548)	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0165)	Cast iron	No	Fastening elements in galv. steel
DEM	DP8421111 (6 232 0572)	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0165)	Cast iron	No	Fastening elements in stainless steel





We know how water works



DN 350

AFP

Current products



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 chemical anchors M20*	O-ring in NBR (1 112 0630) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPG31211D	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0630) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPG32211D	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0630) Loctite 454 (9 510 0209)	Cast iron	No	


* Special fastening set is available from DEM

AFP

3 256 0629 (DIN)
3 256 0633 (ANSI)

Pedestal base


1984



3 142 0585

Pedestal bracket

1984




Single guide rail 3"

Accessories

Guide piece
3 145 0552

Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in CR (4 307 0047)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0585	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in CR (4 307 0047)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0573	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in CR (4 307 0047)	Cast iron	No	Fastening elements in stainless steel


AFP

Spare parts

3 256 0609 (DIN)

Pedestal base


1973



3 142 0510

Pedestal bracket


1979



Single guide rail 2"

Accessories

Guide piece
3 145 0517



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	6 232 0510	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM20 x 250	Gasket in NBR (4 307 0524)	Cast iron	No	


AFP

Spare parts

3 256 0655 (DIN)
3 256 0661 (ANSI)

Pedestal base


1979



3 142 0632

Pedestal bracket

1979




Single guide rail 3"

Accessories

Guide piece
3 145 0552


Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in CR (4 307 0047)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	6 232 0601	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in CR (4 307 0047)	Cast iron	No	Fastening elements in galv. steel
DEM	6 232 0602	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in CR (4 307 0047)	Cast iron	No	Fastening elements in stainless steel





We know how water works









DN 400

AFP

Current products

3 256 0911 (DIN/ANSI) Pedestal base 2007 	3 142 0877 Pedestal bracket 2002 
--	--

Accessories			
Single guide rail 2" Pedestal base Guide piece 3 145 0064 3 145 0082 SX  Guide rail 3 145 0062 3 145 0063 non sparking 3 145 0081 SX Pedestal bracket 	Single guide rail 3" Pedestal base Guide piece 3 145 0054  Guide rail 3 145 0055 3 145 0058 non sparking Pedestal bracket 	Dual guide rail 2" Pedestal base Guide piece 3 145 0079  Guide rail 3 145 0078 Pedestal bracket 	

MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 chemical anchors M20*	O-ring in NBR (1 112 0545) or FPM (1 112 0561) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPH61211D	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0545) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPP31211D	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0545) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPH62211D	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0545) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPP32211D	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 chemical anchors M20*	O-ring in NBR (1 112 0545) Loctite 454 (9 510 0209)	Cast iron	No	

* Special fastening set is available from DEM


AFP

Current products

3 256 7619 (DIN)

Pedestal base


1985



3 142 7538

Pedestal bracket

1985




Single guide rail 3"

Accessories

Guide piece
3 145 7552

Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
BRA	6 232 7910	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	U-seal in BUNA N (4 308 7951)	Cast iron	No	


AFP

On request

3 256 0626 (DIN)

Pedestal base

1984




3 142 0567

3 142 0568 (PN16)

Pedestal bracket

1984




Single guide rail 3"

Accessories

Guide piece
3 145 0552



Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10	Flange DIN, PN 10/PN 16	3"	1	6 stone bolts M24 x 500	Gasket in NBR (4 307 0551)	Cast iron	No	
DEM	DPA511111 (6 232 0562)	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in NBR (4 307 0551)	Cast iron	No	
DEM	6 232 0563	Flange DIN, PN 10	Flange DIN, PN 16	3"	1	6 stone bolts M24 x 500	Gasket in NBR (4 307 0551)	Cast iron	No	

AFP

Spare parts




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 stone bolts BM 24x400	O-ring in NBR (1 112 0545) or FPM (1 112 0561) Loctite 454 (9 510 0209)	Cast iron/SS	Yes	
DEM	DPH612111	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 stone bolts BM 24x400	O-ring in NBR (1 112 0545) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPP312111	Flange DIN, PN 10	Flange DIN, PN 10	2"	1	4 stone bolts BM 24x400	O-ring in NBR (1 112 0545) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPH622111	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	4 stone bolts BM 24x400	O-ring in NBR (1 112 0545) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPP322111	Flange ANSI, Class 125	Flange DIN, PN 10	2"	1	4 stone bolts BM 24x400	O-ring in NBR (1 112 0545) Loctite 454 (9 510 0209)	Cast iron	No	

AFP

Spare parts


3 256 0619 (DIN)
3 256 0634 (ANSI)

Pedestal base 1981



3 142 0538
3 142 0537 (PN16)

Pedestal bracket 1981




Single guide rail 3"

Accessories

Guide piece
3 145 7552


Pedestal base



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10/PN 16	3"	1	6 stone bolts M24 x 500	Gasket in NBR (4 307 0551)	Cast iron	No	
DEM	DPBA11111 (6 232 0533)	Flange DIN, PN 10	Flange DIN, PN 16	3"	1	6 stone bolts M24 x 500	Gasket in NBR (4 307 0551)	Cast iron	No	
DEM	DPBA21111 (6 232 0574)	Flange ANSI, Class 125	Flange DIN, PN 16	3"	1	6 stone bolts M24 x 500	Gasket in NBR (4 307 0551)	Cast iron	No	
DEM	DPAA11111 (6 232 0541)	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in NBR (4 307 0551)	Cast iron	No	
DEM	DPAA21111 (6 232 0582)	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts M24 x 500	Gasket in NBR (4 307 0551)	Cast iron	No	







We know how water works



DN 500

AFP

Current products



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	8 chemical anchors M20*	O-ring in NBR (1 112 0546) Loctite 454 (9 510 0209)	Cast iron	Yes	
DEM	DPJ61211D	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	8 chemical anchors M20*	O-ring in NBR (1 112 0546) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPJ62211D	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	8 chemical anchors M20*	O-ring in NBR (1 112 0546) Loctite 454 (9 510 0209)	Cast iron	No	

* Special fastening set is available from DEM


AFP

On request

3 256 0622 (DIN)
3 256 0635 (ANSI)

Pedestal base


1982
1987



3 142 0552

Pedestal bracket

1982




Single guide rail 3"

Accessories

Guide piece
3 145 0552

Pedestal base




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0174)	Cast iron	No	
DEM	DPC611111 (6 232 0549)	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0174)	Cast iron	No	
DEM	DPC621111 (6 232 0583)	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0174)	Cast iron	No	

AFP

Spare parts


3 256 0694 (DIN)
3 256 0699 (ANSI)

Pedestal base **2002** **2003**



3 142 0878

Pedestal bracket **2002**




Single guide rail 3"

Accessories

Dual guide rail 2"


Guide piece
3 145 0054

Pedestal base




Guide rail
3 145 0055
3 145 0058 non sparking

Pedestal bracket




Guide piece
3 145 0079

Pedestal base



Guide rail
3 145 0078


Pedestal bracket



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 stone bolts BM27 x 500	O-ring in NBR (1 112 0546) Loctite 454 (9 510 0209)	Cast iron	Yes	
DEM	DPJ612111	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 stone bolts BM27 x 500	O-ring in NBR (1 112 0546) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPJ622111	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	4 stone bolts BM27 x 500	O-ring in NBR (1 112 0546) Loctite 454 (9 510 0209)	Cast iron	No	







We know how water works



DN 600

AFP

Current products



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	8 chemical anchors M20*	O-ring in NBR (1 112 0547) Loctite 454 (9 510 0209)	Cast iron	Yes	
DEM	DPK612111	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	8 chemical anchors M20*	O-ring in NBR (1 112 0547) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPK622111	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	8 chemical anchors M20*	O-ring in NBR (1 112 0547) Loctite 454 (9 510 0209)	Cast iron	No	

* Special fastening set is available from DEM


AFP

On request

3 256 0623 (DIN)
3 256 0636 (ANSI)

Pedestal base


1981
1987



3 142 0553

Pedestal bracket

1982




Single guide rail 3"

Accessories

Guide piece
3 145 0552

Pedestal base




MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0175)	Cast iron	No	Fastening elements in galv. or stainless steel
DEM	DPD611111 (6 232 0540)	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0175)	Cast iron	No	Fastening elements in galv. steel
DEM	DPD621111 (6 232 0584)	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	6 stone bolts BM24 x 500	Gasket in CR (4 307 0175)	Cast iron	No	Fastening elements in stainless steel

AFP

Spare parts


3 256 0691 (DIN)
3 256 0700 (ANSI)

Pedestal base **2002** **2003**



3 142 0829

Pedestal bracket **2002**




Single guide rail 3"

Accessories

Dual guide rail 2"


Guide piece
3 145 0054

Pedestal base




Guide rail
3 145 0055
3 145 0058 non sparking

Pedestal bracket




Guide piece
3 145 0079

Pedestal base



Guide rail
3 145 0078


Pedestal bracket



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	All variants	Flange DIN, PN 10/ANSI, Class 125	Flange DIN, PN 10	2", 3"	1 or 2	4 stone bolts BM27 x 500	O-ring in NBR (1 112 0547) Loctite 454 (9 510 0209)	Cast iron	Yes	
DEM	DPK612111	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 stone bolts BM27 x 500	O-ring in NBR (1 112 0547) Loctite 454 (9 510 0209)	Cast iron	No	
DEM	DPK622111	Flange ANSI, Class 125	Flange DIN, PN 10	3"	1	4 stone bolts BM27 x 500	O-ring in NBR (1 112 0547) Loctite 454 (9 510 0209)	Cast iron	No	







We know how water works



DN 800

AFP

Current products



MU	Part number	Pipe connection	Pump connection	Guide rail size	No. of guide rails	Fastening elements (Anchors)	Gasket and glue	Material	Non sparking available	Comments
DEM	DPL512111	Flange DIN, PN 10	Flange DIN, PN 10	3"	1	4 stone bolts BM30 x 500	O-ring in NBR (1 112 0548) Loctite 454 (9 510 0209)	Cast iron	No	